

Multiphoton Microscopy Techniques in Plant Research

List of References

Multiphoton Excitation

Benediktyova, Z., Nedbal, L., 2009. Imaging of multi-color fluorescence emission from leaf tissues. *Photosynth Res* 102, 169-175.

Berg, R.H., Beachy, R.N., 2008. Fluorescent protein applications in plants. *Methods Cell Biol* 85, 153-177.

Bessirea, M., Borela, S., Guillaume, F., Carraçaa, L., Efremovab, N., Yephremovb, A., Caod, Y., Jetterd, R., Jacquatc, A., Métrauxc, J.P., Nawrathac, C., A Member of the PLEIOTROPIC DRUG RESISTANCE Family of ATP Binding Cassette Transporters Is Required for the Formation of a Functional Cuticle in Arabidopsis. *The Plant Cell* 2011, 23, no. 5: 1958-1970.
<http://www.plantcell.org/content/23/5/1958.short>

Brown, S.C., Bolte, S., Gaudin, M., Pereira, C., Marion, J., Soler, M.-N. and Satiat-Jeunemaitre, B., Exploring plant endomembrane dynamics using the photoconvertible protein Kaede. *The Plant Journal*, 2010, 63: 696–711.
<http://onlinelibrary.wiley.com/doi/10.1111/j.1365-313X.2010.04272.x/full>

Cheung, A.Y., Boavida, L.C., Aggarwal, M., Wu, H-M., and Feijó J.A, The pollen tube journey in the pistil and imaging the in vivo process by two-photon microscopy. *Journal of Experimental Botany*, 2010, 61, no.7: 1907-1915. <http://jxb.oxfordjournals.org/content/61/7/1907.full.pdf+html>

Feijó, J.A., Moreno, N., Imaging plant cells by two-photon excitation. *Protoplasma*, 2004, 223, Issue 1: 1-32.
<http://link.springer.com/article/10.1007/s00709-003-0026-2>

Hamamura, Y., Saito, C., Awai, C., Kurihara, D., Miyawaki, A., Nakagawa, Ts., Kanaoka, M. M., Sasaki, N., Nakano, A., Berger, F. and Higashiyama, T., Live-Cell Imaging Reveals the Dynamics of Two Sperm Cells during Double Fertilization in Arabidopsis thaliana shiyama. *Current Biology*, 2011, 21, Issue 6: 497–502.
<http://www.sciencedirect.com/science/article/pii/S096098221100176X#>

Kennedy, M.J., Hughes, R.M., Peteya, L.A., Schwartz, J.W., Ehlers, M.D. and Tucker, C.L., Rapid blue-light-mediated induction of protein interactions in living cells. *Nature Methods*, 2010, 7: 973–975
<http://www.nature.com/nmeth/journal/v7/n12/full/nmeth.1524.html>

Keyte, I., Wild, E., Dent, J. and Jones K.C, Investigating the Foliar Uptake and Within-Leaf Migration of Phenanthrene by Moss (*Hypnum Cupressiforme*) Using Two-Photon Excitation Microscopy with Autofluorescence. *Environmental Science & Technology*, 2009, 43(15): 5755-5761.
<http://pubs.acs.org/doi/abs/10.1021/es900305c>

Köhler, R.H., Cao, J., Zipfel, W.R., Webb, W.W., Hanson, M.R., Exchange of Protein Molecules Through Connections Between Higher Plant Plastids. *Science*, 1997, 276, no. 5321: 2039-2042.
<http://www.sciencemag.org/content/276/5321/2039.full>

Rademacher, E.H., Lokerse, A.S., Schlereth, A., Llavata-Peris, C.I., Bayer, M., Kientz, M., Freire, R.A., Borst, J.W., Lukowitz, W., Jurgens, G., Weijers, D., 2012. Different auxin response machineries control distinct cell fates in the early plant embryo. *Dev Cell* 22, 211-222.

Ryu, J., Nam, H., Kim, H.K., Joo, Y., Lee, S.J., Kim, K.H., 2014. In vivo monitoring of intracellular chloroplast movements in intact leaves of c4 plants using two-photon microscopy. *Microsc Res Tech* 77, 806-813.

Tirlapur, U.K., Konig, K., 2001. Femtosecond near-infrared lasers as a novel tool for non-invasive real-time high-resolution time-lapse imaging of chloroplast division in living bundle sheath cells of *Arabidopsis*. *Planta* 214, 1-10.

Wild, E., Dent, J., Thomas, G.O. and Jones K.C., Visualizing the Air-To-Leaf Transfer and Within-Leaf Movement and Distribution of Phenanthrene: Further Studies Utilizing Two-Photon Excitation Microscopy. *Environmental Science & Technology*, 2006, 40(3): 907-916
<http://pubs.acs.org/doi/abs/10.1021/es0515046>

Wuyts, N., Palauqui, J. C., Conejero, G., Verdeil, J.L., Granier C. and Massonnet C., High-contrast three-dimensional imaging of the *Arabidopsis* leaf enables the analysis of cell dimensions in the epidermis and mesophyll, *PlantMethods*, 2010, 6:17.
<http://www.plantmethods.com/content/6/1/17/>

FLIM

Broess, K., Borst, J.W., van, A.H., 2009. Applying two-photon excitation fluorescence lifetime imaging microscopy to study photosynthesis in plant leaves. *Photosynth Res* 100, 89-96.

Chanoca, A., Burkel, B., Kovinich, N., Grotewold, E., Eliceiri, K.W., Otegui, M.S., 2016. Using fluorescence lifetime microscopy to study the subcellular localization of anthocyanins. *Plant J* 88, 895-903.
<http://onlinelibrary.wiley.com/doi/10.1111/tpj.13297/abstract>

Elgass, K., Caesar K., Schleifenbaum F., Stierhof Y-D., Meixner A.J., Novel Application of Fluorescence Lifetime and Fluorescence Microscopy Enables Quantitative Access to Subcellular Dynamics in Plant Cells. *PLoS One*, 2009, 4(5) e5716. doi:10.1371/journal.pone.0005716
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0005716>

Elgass, K., Caesar, K., Harter, K., Meixner, A.J., Schleifenbaum, F., 2011. Combining ocFLIM and FIDSAM reveals fast and dynamic physiological responses at subcellular resolution in living plant cells. *J Microsc* 242, 124-131.

FLIM-FRET

Brandner, K., Sambade, A., Boutant, E., Didier, P., Mély, Y., Ritzenthaler C. and Heinlein, M. 2008 Tobacco Mosaic Virus Movement Protein Interacts with Green Fluorescent Protein-Tagged Microtubule End-Binding Protein. *Plant Physiology*, 147, no. 2: 611-623
<http://www.plantphysiol.org/content/147/2/611.full.pdf+html>

Bucherl, C., Aker, J., de, V.S., Borst, J.W., 2010. Probing protein-protein Interactions with FRET-FLIM. *Methods Mol Biol* 655, 389-399.

Bucherl, C.A., van Esse, G.W., Kruis, A., Luchtenberg, J., Westphal, A.H., Aker, J., van, H.A., Albrecht, C., Borst, J.W., de Vries, S.C., 2013. Visualization of BRI1 and BAK1(SERK3) membrane receptor heterooligomers during brassinosteroid signaling. *Plant Physiol* 162, 1911-1925.

Bucherl, C.A., Bader, A., Westphal, A.H., Laptенок, S.P., Borst, J.W., 2014. FRET-FLIM applications in plant systems. *Protoplasma* 251, 383-394.

De Rybel B., Moller, B., Yoshida, S., Grabowicz, I., Barbier de, R.P., Boeren, S., Smith, R.S., Borst, J.W., Weijers, D., 2013. A bHLH complex controls embryonic vascular tissue establishment and indeterminate growth in Arabidopsis. *Dev Cell* 24, 426-437.

DeBonoa, A., Yeatsb, T.H., Jocelyn K.C., Birda D., Jettera, R., Kunsta L. and Samuelsa L., Arabidopsis LTPG Is a Glycosylphosphatidylinositol-Anchored Lipid Transfer Protein Required for Export of Lipids to the Plant Surface. *The Plant Cell*, 2009, 21, no. 4: 1230-1238.
<http://www.plantcell.org/content/21/4/1230.short>

Demir, F., Horntrich, C., Blachutzik, J.O., Scherzer, S., Reinders, Y., Kierszniowska, S., Schulze, W.X., Harms, G.S., Hedrich, R., Geiger, D., Kreuzer, I., 2013. Arabidopsis nanodomain-delimited ABA signaling pathway regulates the anion channel SLAH3. *Proc Natl Acad Sci U. S. A* 110, 8296-8301.

Kwaaitaal, M., Keinath, N.F., Pajonk, S., Biskup, C., Panstruga, R., 2010. Combined bimolecular fluorescence complementation and Forster resonance energy transfer reveals ternary SNARE complex formation in living plant cells. *Plant Physiol* 152, 1135-1147.
<http://www.plantphysiology.org/content/152/3/1135.full.pdf+html>

Garagounis, C., Kostaki, K.I., Hawkins, T.J., Cummins, I., Fricker, M.D., Hussey, P.J., Hetherington, A.M., Sweetlove, L.J., 2017. Microcompartmentation of cytosolic aldolase by interaction with the actin cytoskeleton in Arabidopsis. *J Exp Bot* 68, 885-898.
<https://academic.oup.com/jxb/article/68/5/885/3002320>

Long, Y., Stahl, Y., Weidtkamp-Peters, S., Postma, M., Zhou, W., Goedhart, J., Sanchez-Perez, M.I., Gadella, T.W.J., Simon, R., Scheres, B., Blilou, I., 2017. In vivo FRET-FLIM reveals cell-type-specific protein interactions in Arabidopsis roots. *Nature* 548, 97-102.
<https://www.nature.com/articles/nature23317>

Rios, A.F., Radoeva, T., De, R.B., Weijers, D., Borst, J.W., 2017. FRET-FLIM for Visualizing and Quantifying Protein Interactions in Live Plant Cells. *Methods Mol Biol* 1497, 135-146.
https://link.springer.com/protocol/10.1007%2F978-1-4939-6469-7_13

Russinova, E., Borst, J.W., Kwaaitaal, M., Cano-Delgado, A., Yin, Y., Chory, J., de Vries, S.C., 2004. Heterodimerization and endocytosis of Arabidopsis brassinosteroid receptors BRI1 and AtSERK3 (BAK1). *Plant Cell* 16, 3216-3229.

Somssich, M., Simon, R., 2017. Studying Protein-Protein Interactions In Planta Using Advanced Fluorescence Microscopy. *Methods Mol Biol* 1610, 267-285.
https://link.springer.com/protocol/10.1007%2F978-1-4939-7003-2_17

Stankovic, N., Schloesser, M., Joris, M., Sauvage, E., Hanikenne, M., Motte, P., 2016. Dynamic Distribution and Interaction of the Arabidopsis SRSF1 Subfamily Splicing Factors. *Plant Physiol* 170, 1000-1013.
<http://www.plantphysiol.org/content/170/2/1000.long>

Sparkesa I., Tolleyb, N., Allera, I., Svozila, J., Osterriedera, A., Botchwaye, S., Muellerc, C., Frigeriob L. and Hawesa C., Five *Arabidopsis* Reticulon Isoforms Share Endoplasmic Reticulum Location, Topology, and Membrane-Shaping Properties. *The Plant Cell*, 2010, 22, no. 4: 1333-1343.
<http://www.plantcell.org/content/22/4/1333.full.pdf+html>

Vaddepalli, P., Herrmann, A., Fulton, L., Oelschner, M., Hillmer, S., Stratil, T.F., Fastner, A., Hammes, U.Z., Ott, T., Robinson, D.G., Schneitz, K., 2014. The C2-domain protein QUIRKY and the receptor-like kinase STRUBBELIG localize to plasmodesmata and mediate tissue morphogenesis in Arabidopsis thaliana. *Development* 141, 4139-4148.
<http://dev.biologists.org/content/141/21/4139.long>

Wang, S., Assmann, S.M., and Fedoroff N.V. Characterization of the Arabidopsis Heterotrimeric G Protein. *J. Biol. Chem.*, 2008, 283: 13913-13922.
<http://www.jbc.org/content/283/20/13913.full.pdf+html>

Weidtkamp-Peters, S., Stahl, Y., 2017. The Use of FRET/FLIM to Study Proteins Interacting with Plant Receptor Kinases. *Methods Mol Biol* 1621, 163-175.
https://link.springer.com/protocol/10.1007%2F978-1-4939-7063-6_16